


Packaging item:	Ø200/182 x 249 mm CPR UN
Content net:	6,0 liter
Date:	1-9-2011
Internal code:	N/A

Body	
Type	Welded, tapered stackable
Material	Tinplate
Plate thickness	0,24
Tin coating	E2.0/2.0
Coating inside	Plain
Coating outside	Plain
Ball Ear	
Type	2 pieces welded
Material	Tinplate
Bail	
Type	Bail hanged in
Material	Steel wire galvanized
Bottom end	
Type	Stepped profile, seamed on
Material	Tin plate
Plate thickness	0,26
Tin coating	E2.0/2.0
Coating inside	Plain
Coating outside	Plain
Compound	In the double seam
Ring	
Type	Consafe, seamed on
Material	Tin plate
Plate thickness	0,26
Tin coating	E2.0/2.0
Coating inside	Plain
Coating outside	Plain
Compound	In the double seam and puff compound
Plug lid	
Type	dia 191 mm Consafe, loose
Marking	UN1A2/Z/100/./D/BAM 4945 SLW
Material	Tin plate
Plate thickness	0,26
Tin coating	E2.0/2.0
Coating inside	Plain
Coating outside	Plain
Compound	Puff compound

Packaging item:	Ø200/182 x 249 mm CPR UN
Content net:	6,0 liter
Date:	1-9-2011
Internal code:	N/A

Capacities, weights and dimensions	
Weight (gr)	489,6 ± 5%
Package capacity (ml)	6000
Brimfull capacity (ml)	6520



DIMENSIONS GIVEN IN mm

We own the copyright on this specification. No part of this publication may be reproduced or made available to third parties without our prior consent. We reserve the right to modify this specification

Conical Pail CPR
Dia 200/182 x 249 mm