


| | | |
|------------------------|-----------------|----------|
| Packaging item: | Ø52/48 x 195 mm | 15,0 bar |
| Content net: | 300 ml | |
| Date: | 1-7-2011 | |
| Internal code: | N/A | |


| Construction | | | |
|-------------------------------|--|------------------------|------|
| Material | Tin plate, Euro standard EN 10202 | | |
| Tin Coating | Body | E 2.0 / 2.0 Fine Stone | |
| | Bottom | E 2.8 / 2.8 Fine Stone | |
| | Top | D 4.0 / 2.8 Fine Stone | |
| Side seam | Soudronic Wima welded | | |
| Lacquered, internal | Body | no inside lacquer | |
| | Side Stripe | no inside lacquer | |
| | Bottom | no inside lacquer | |
| | Top | no inside lacquer | |
| Lacquered, external | Body | outside plain | |
| | Bottom | clear varnish | |
| | Top | clear varnish | |
| Print | If, multicolored offset plus clear varnish | | |
| Pressure specification | Deformation | minimum 15,0 bar | |
| | Burst pressure | minimum 18,0 bar | |
| Delivery and Identity | Cans in packaging referred to order (Compressionpack) at returnable pallets with foil wrapped against dirtiness | | |
| Compound (double seam) | Nature- and synthetic latex | | |
| Dimensions and capacities | | | |
| Can Height | 195,0 | tolerance | ref. |
| Nominal height | 195,0 | ± 0.5 mm | E |
| Overall height | 202,5 | ± 1.0 mm | F |
| Nom. fill volume (liq. prop.) | 300 | | |
| Nom. fill vol. (compr. gas) | | | |
| Brimfull capacity (ml) | 405 | see FEA 214 | |
| Weight (gr) | 62,0 | ± 5% | |
| Body diameter | 52,7 | ± 0.3 mm | D |
| 1-inch opening internal | 25,4 | ± 0.1 mm | A |
| 1-inch opening external | 31,20 | ± 0.15 mm | B |
| Contact height | 4,00 | ± 0.15 mm | |
| Overseam diameter of cone | 50,70 | ± 0.3 mm | C |
| Seam length of cone | 3,20 | ± 0.15 mm | |
| Seam wall drop | 5,60 | ± 0.5 mm | G |

| | |
|------------------------|-----------------|
| Packaging item: | Ø52/48 x 195 mm |
| Content net: | 300 ml |
| Date: | 1-7-2011 |
| Internal code: | N/A |

| | |
|--------------------|--|
| Miscellaneous | |
| Weight (gr) | 62 |
| Palletisation | 2.7601 stuks op pallet special edition |
| Remarks | |
| Minimum production | |
| Minimum deliverie | 1 pallet |



X



| NOMINAL-HEIGHT mm | TOTAL HEIGHT ± 1 mm | BRIMFUL CAPACITY ml | NOMINAL CAPACITY ml |
|----------------------|------------------------|------------------------|------------------------|
| 105 | 112.5 | 210 | 150 |
| 132 | 139.5 | 270 | 200 |
| 161 | 168.5 | 335 | 250 |
| 195 | 202.5 | 405 | 300 |
| 244 | 251.5 | 520 | 400 |

DIMENSIONS GIVEN IN mm

Aerosol can acc. to the
 - 13. GPSGV-Aerosolpackungsverordnung
 - guideline 75/324/EEC.