


Packaging item:	Ø169/153 x 190 mm CPR UN
Content net:	3,0 liter
Date:	1-9-2011
Internal code:	N/A

Body	
Type	Welded, tapered stackable
Material	Tinplate
Plate thickness	0,24
Tin coating	E2.0/2.0
Coating inside	Plain
Coating outside	Plain
Ball Ear	
Type	2 pieces welded
Material	Tinplate
Bail	
Type	Bail hanged in
Material	Steel wire galvanized
Bottom end	
Type	Ø 153 mm, Stepped profile, seamed on
Material	Tin plate
Plate thickness	0,26
Tin coating	E2.0/2.0
Coating inside	Plain
Coating outside	Plain
Compound	In the double seam
Ring	
Type	Ø 169 mm, Consafe, seamed on
Material	Tin plate
Plate thickness	0,26
Tin coating	E2.0/2.0
Coating inside	Plain
Coating outside	Plain
Compound	In the double seam and puff compound
Plug lid	
Type	Ø 160 mm, Consafe, loose
Marking	UN1A2/Y/100/./D/BAM 5209 SLW
Material	Tin plate
Plate thickness	0,26
Tin coating	E2.0/2.0
Coating inside	Plain
Coating outside	Plain
Compound	Puff compound

Packaging item:	Ø169/153 x 190 mm CPR UN
Content net:	3,0 liter
Date:	1-9-2011
Internal code:	N/A

Capacities, weights and dimensions	
Weight (gr)	338,2 ± 5%
Package capacity (ml)	3000
Brimfull capacity (ml)	3475
Packaging	
Number of cans	330 per europallet



NENNÜLLVOLUMEN : 3,0 l
BEHÄLTNISVOLUMEN : 3475 ml

Diese Spezifikation ist in Sachen des Urheberrechtsgesetzes unser geistiges Eigentum. Ohne unsere Zustimmung darf sie weder vervielfältigt noch Dritten zugänglich gemacht werden. Änderungen behalten wir uns vor.

Konischer ED
CPR 169/153 x 190 mm